

CARISBROOK

Floorstanding Vanity Unit

Product Picture/Photo




Note: Carisbrook 800 in Fern; Handles – Lyra Knob Brass

PRODUCT DETAILS:**CARISBROOK VANITY UNIT**


- The Carisbrook Vanity Unit is available in 5 colours and two sizes, with choice of worktop finish.
- A traditional underslung vanity unit with ample storage space for bathroom essentials. Fitted with soft-close doors and a choice of handles (**each Carisbrook unit includes chrome handles as standard but you can choose to upgrade to handles of your choice)
- Choose from two solid surface worktop options - Carrara Marble effect or Arctic White, to complete the look.
- Traditional 5 piece doors and grooved side panels which create a classic and traditional look
- Tap holes need to be drilled (template included in box with worktop)
- FE Product Code: Various (dependent on colour)
- Rectangle underslung ceramic basin – choose 1 or 2 depending on your worktop selection – waste and tap to be ordered separately.
- Carcass: 45mm Painted Pine & 15/18/27mm Painted MDF
- Fascia Components: 21mm Painted MDF & 21mm Painted Pine
- 10 year manufacturers guarantee

CARISBROOK COLOURS:


FLAX WHITE




FERN



SHALE GREY



SEA MIST



CHESIL GREY

STEP 1: CHOOSE YOUR UNIT SIZE & COLOUR:



CARISBROOK 600 UNDERSLUNG FERN
CARIS600FERN



CARISBROOK 800 UNDERSLUNG FERN
CARIS800FERN



CARISBROOK 600 UNDERSLUNG FLAX WHT
CARIS600FLAX



CARISBROOK 800 UNDERSLUNG FLAX WHITE
CARIS800FLAX



CARISBROOK 600 UNDERSLUNG SHALE GREY
CARIS600SHALE



CARISBROOK 800 UNDERSLUNG SHALE GREY
CARIS800SHALE

PRODUCT INFORMATION

BATHROOMS

FIRED EARTH —



CARISBROOK 600 UNDERSLUNG SEA MIST
CARIS600SEA



CARISBROOK 800 UNDERSLUNG SEA MIST
CARIS800SEA



CARISBROOK 600 UNDERSLUNG CHESIL GREY
CARIS600CHESIL




CARISBROOK 800 UNDERSLUNG CHESIL GREY
CARIS800CHESIL




****handle included as standard****

Carisbrook 600 + handles/fixings - CARIS600**COLOUR**



Carisbrook 800 + handles/fixings – CARIS800**COLOUR**




** Dimensions are subject to change, customers are advised to measure actual product before commencing installation.

*** Fixing point dimensions are for guidance only/the positions of wall fixing must be checked when product is received.

STEP 2: CHOOSE YOUR WORKTOP:





Underslung Carrara Solid Surface Worktop



Underslung White Solid Surface Worktop

Carisbrook 600 Underslung Worktop Upstand Carrara - CARISTOP600C



Carisbrook 600 Underslung Worktop Upstand White - CARISTOP600W



Diagrams not to scale

Carisbrook 800 Underslung Worktop Upstand Carrara – CARISTOP800C

Carisbrook 800 Underslung Worktop Upstand White – CARISTOP800W




Diagrams not to scale

****Dimensions are subject to change; customers are advised to measure actual product before commencing installation**

STEP 3: ADD THE BASIN(S):

CARISBROOK 600 UNDERSLUNG BASIN RECT – CARISBAS



**Dimensions are subject to change; customers are advised to measure actual product before commencing installation

STEP 4: CHOOSE YOUR HANDLES:

600 needs 2 handles; 800 needs 5 handles

			
ORLA KNOB CHROME ORLACHROME	ORLA KNOB BRASS ORLABRASS	ORLA KNOB BLACK ORLABLACK	ORLA KNOB BRONZE ORLABRONZE
			
MAVEN KNOB CHROME MAVENCHROME	MAVEN KNOB BRASS MAVENBRASS	MAVEN KNOB BLACK MAVENBLACK	REY KNOB CHROME REYCHROME
			
NOOR TBAR KNOB CHROME NOORCHROME	NOOR TBAR KNOB BRASS NOORBRASS	NOOR TBAR KNOB BLACK NOORBLACK	
			
LYRA KNOB CHROME LYRACHROME	LYRA KNOB BRASS LYRABRASS	LYRA KNOB BLACK LYRABLACK	

FAQs

Q. How big is the plumbing void?	A. 50mm.
Q. Are the handles fitted?	A. No, handles need fixing.
Q. Can I use different handles?	A. Yes, other handle hole centres can be drilled by the fitter
Q. Are the hinges soft close?	A. The hinges are both soft close and quick release.
Q. How deep is the unit with door open?	A. Approx. 720mm (for the 600 unit) and 700mm (for the 800 unit) at 90°.
Q. Can the doors be adjusted?	A. The doors can be adjusted as detailed in the supplied instructions.
Q. Is the shelf removable?	A. The shelf in the centre is removable however, both shelves on the sides are permanently fixed on the 600 unit. There is one removable shelf on the 800 unit.
Q. What is the shelf capacity?	A. Shelf max depth: 412mm (on the 600 unit) 380mm (on the 800 unit).
Q. How many shelves are there?	A. There is one shelf and a base within the unit.
Q. Is the shelf adjustable?	A. No, all shelves are non-adjustable.
Q. What is the interior finish of the unit?	A. The unit interior is the same finish as the exterior.
Q. What tools are suitable for cutting the worktop?	A. A fine-tooth saw, router, circular or jigsaw. Please refer to the instructions provided.
Q. What cleaning products are suitable for this worktop?	A. Please refer to the instructions provided.
Q. Is the marble worktop sealed?	A. The marble is sealed at the point of manufacture. We do recommend resealing the marble periodically like other natural stone products.
Q. What is the maximum water depth of the basin?	A. 125mm up to the overflow.
Q. Is the upstand suitable with all taps?	A. Please check with our showrooms regarding tap suitability.
Q. What is the maximum water depth of the basin?	A. 100mm up to the overflow

We hope you are fully satisfied with your Fired Earth products, however in the unlikely event that the product is unsuitable or that you are not fully satisfied please refer to our full terms and conditions - <https://www.firedearth.com/returns-refunds>